2000 Editorial Index

A

Abu-Orf, Mohammad M.
Electric arc solids pretreatment — 12(7):64

Activated sludge
Energy-saving strategies for — 12(9):113
Modifications improve performance — 12(9):128

Adderley, Virgil C.
Modeling system supports wet-weather collection system decisions — 12(12):35

Aeration
Check valves cut energy costs — 12(2):72
Controlling filamentous bacteria — 12(7):69
Cryogenic air separation — 12(11):52
Dissolved oxygen automation — 12(11):67
System design — 12(11):57
Teflon diffusers reduce clogs — 12(2):77
Variable air delivery system — 12(8):76

Air quality
Acid rain declines in North America, Europe — 12(2):20
Chinese treatment plant cuts air pollution — 12(11):49
Spacecraft to study atmosphere — 12(4):9

Algae
African fish could control blooms — 12(5):54

Ammons, Nick
Public involvement in infrastructure programs — 12(9):79

Anaerobic digestion
Advanced system issues — 12(11):35
System performance comparisons — 12(11):26

Appleton, A. Ronald
Private-sector optimization techniques — 12(9):59

Automation
Dissolved oxygen — 12(11):67
Improves utility competitiveness — 12(8):47

Awards
Dutch team wins first World Water Cup — 12(9):22
Kader Asmal wins 10th Stockholm Water Prize — 12(6):26
Missouri plant wins U.S. EPA Region 7 excellence award — 12(6):53
U.S. EPA National Environmental Performance Track program — 12(9):16
U.S. EPA Region 5 honors three Indiana plants — 12(9):105
U.S. EPA Wastewater Management Excellence ___ — 12(10):50
WEF ___ — 12(10):27

B

Bails, Jack D.
Michigan's voluntary general stormwater permit — 12(6):59

Barstad, Richard J.
Using reclaimed water to create mitigation wetlands — 12(9):70

Beach, Miles
Vacuum collection system — 12(10):64

Benson, John
Cell lysis technology — 12(8):66

Berger, John
Cell lysis technology — 12(8):66

Bernhardt, Aaron M.
Ecological risk assessments — 12(3):30

Biksey, Thomas M.
Ecological risk assessments — 12(3):30

Biochemical oxygen demand (BOD)
Basics — 12(12):78

Biological nutrient removal (BNR)
Adjustable frequency drive aids performance — 12(3):65
Basics of — 12(8):85
Medical lab technique aids ___ analysis — 12(3):60
Sequencing batch reactor — 12(5):84
SHARON technology — 12(9):92

Biosolids
Beneficial use of (quiz) — 12(2):70
California wastewater issues — 12(9):135
Comprehensive QA/QC program — 12(3):50
Critics of U.S. EPA policy cry 'foul' — 12(5):8; 12(6):53
Dioxin-related risks in land-applied — 12(5):35
EU clarifies ban on ___ in animal feed — 12(6):12
NIOSH report controversy — 12(10):18
Pennsylvania groups sponsor composting forum — 12(7):50
Proposed dioxin limits for land-applied — 12(2):13, 52
Reed bed limitations — 12(2):61
Report says boy's death not linked to — 12(8):81
Vermicomposting — 12(5):43
Wisconsin receives 40 *CFR* 503 authority — 12(7):50
U.S. EPA requests review of science underlying rule — 12(10):47

Boe, Owen
Ultraviolet lamp degradation — 12(4):69

Bogus, Susan
Best-value contract selection methods — 12(7):29

Borer, Bradley
Controlling filamentous bacteria — 12(7):69

Boyer, Tom
Ultraviolet lamp degradation — 12(4):69

Brady, Robert J.
Energy utility deregulation advantages — 12(8):42

Brown, Donald S.
U.S. EPA manual on treatment wetlands — 12(10):36

Bryson, Dale S.
Michigan's voluntary general stormwater permit — 12(6):59

Bush, Alan
Large submersible pumps manage CSOs — 12(12):47

Business and finance
Benefits of periodic vendor reviews — 12(8):53
China may enter World Trade Organization — 12(3):19
China needs more, better treatment plants — 12(12):10
Continued growth projected for water quality industry — 12(7):22
Energy utility deregulation advantages — 12(8):42
Environmental businesses lag in e-commerce — 12(10):12
Future wastewater treatment approaches — 12(8):8
Industrial facilities' environmental performance — 12(8):16
Link between clean water, economic health — 12(8):16
Membrane market growth predicted — 12(11):20
World Bank proposes environmental strategy — 12(7):8

C

Card, Tom
Odor control for an underground treatment plant — 12(7):59

Carpenter, Andrew
Dioxin-related risks in land-applied — 12(5):35

Cave, Kelly A.
Michigan's voluntary general stormwater permit — 12(6):59
Rouge River demonstration project — 12(6):31

Certification
Beneficial use of biosolids (quiz) — 12(2):70
Community relations (quiz) — 12(6):75
Collection systems (quiz) — 12(10):68
Data measurement and analysis (quiz) — 12(11):66
Disinfection (quiz) — 12(4):75
Draft drinking water program guidelines available — 12(6):54
Employee relations (quiz) — 12(1):65
Flow measurement (quiz) — 12(6):75
Laboratory analysis (quiz) — 12(3):64
Laboratory procedures (quiz) — 12(9):126
Maintenance (quiz) — 12(12):77
Odor control (quiz) — 12(7):73
Practice exam — 12(11):61
Pumps (quiz) — 12(5):89
San Diego receives ISO 14001 ___ — 12(3):36
Solids digestion (quiz) — 12(8):98
UV system verification — 12(10):22

Chabaneix, Hugo
Eliminating polymer clogging — 12(6):71

Chan, Rick
Snail control in nitrification towers — 12(5):80

Chesapeake Bay
Cleanup proposal — 12(4):20
Decline in nutrient loads — 12(4):60

Chiaw, Tan Ngo
Odor control for an underground treatment plant — 12(7):59

Chicoine, Lynne Ellis
Using reclaimed water to create mitigation wetlands — 12(9):70

Chlorine
RMP does not need to mean the end of — 12(6):8
Safe handling — 12(5):68
Tighter gas restrictions proposed — 12(11):6

Clarifiers
Enhanced high-rate — 12(4):41
Flocculation jar testing — 12(12):69

2000 Editorial Index

Clean Water Act (CWA)
Addresses nonpoint source pollution — 12(8):77
Kansas farm ponds exempt from — 12(12):8
Snake River dams violate — 12(8):26
Clean Water Action Plan (CWAP)
Progress report — 12(8):25
Coastal and marine pollution
Cleaner recreational watercraft — 12(6):16
Clinton orders better marine protection — 12(9):36
Coral reefs endangered by increased carbon dioxide — 12(7):13
Cruise ship discharges — 12(12):15
Determining nutrient criteria for coastal and estuarine systems — 12(2):34
Mitsubishi cancels salt plant project — 12(6):17
Polar ice caps thinning — 12(2):16
Sand dune preservation — 12(3):10
States need funding to cut polluted runoff — 12(12):15
Stricter sediment dumping rules demanded — 12(4):16
U.S. EPA role in Marine Protected Areas initiative — 12(9):11
Collection systems
Avoiding manhole explosions — 12(10):48
Balancing maintenance and performance — 12(1):38
China project to protect Yangtze River — 12(4):60
Controlling grease — 12(10):69
Investigating inflow from large buildings — 12(6):42
Managing odors — 12(2):71
Manhole inspections and rehabilitation — 12(9):131
Modeling system supports wet-weather ___ decisions — 12(12):35
Multiple technology approach to abate CSOs and SSOs — 12(6):63
Pipe repair — 12(8):102
Pipe within a pipe — 12(2):78; 12(3):74
Proposed SSO rule requirements — 12(9):49
Quiz — 12(10):68
Vacuum — 12(10):64
Combined sewer overflows (CSOs)
Concerns over guidance outline — 12(3):16
Large submersible pumps manage — 12(12):47
Multiple technology approach to abate — 12(6):63
Nashville, Tenn.'s stormwater management program — 12(4):46
Real-time control schemes for — 12(4):64
U.S. EPA funds Pennsylvania county study of — 12(12):58
Computers
Digital utility — 12(12):29
Environmental businesses lag in e-commerce — 12(10):12
Pennsylvania plant files discharge monitoring report electronically — 12(10):47
RMP chemical release information banned from Internet — 12(8):25
U.S. EPA upgrades tool for searching TRI data online — 12(11):6
U.S. GAO blasts U.S. EPA for lax security — 12(10):8
Conservation
Chinese leader call for better strategy — 12(9):11
Cities need strategy — 12(5):10
Cutting electricity costs — 12(9):119
Energy-saving strategies for activated sludge — 12(9):113
More-efficient washing machines — 12(8):22
Construction
Aesthetics — 12(9):42
Best-value contract selection methods — 12(7):29
Design and ___ of treatment wetlands — 12(3):54
Nashville, Tenn.'s stormwater management program — 12(4):46
Owner's role in design-build approach — 12(9):66
Partnering procurement approach — 12(9):53
Public involvement in infrastructure programs — 12(9):79
Underground headworks — 12(3):73
Crites, Ronald W.
Recirculating gravel filter — 12(7):41
Crook, James
Safety-related water reuse research needed — 12(1):8
Cross, Phil
WATER CONSERV II (Orange County, Fla.) — 12(1):26
Crowley, James P.
Private-sector optimization techniques — 12(9):59
Crumb, S. Frank
Enhanced high-rate clarification — 12(4):41
Cunningham, Bradley
Recycling settled solids through RBCs — 12(12):73
Curren, Kenneth
Sequencing batch reactor — 12(5):84

D
Daigger, Glen T.
Odor control for an underground treatment plant — 12(7):59
Dams
China claims new ___ will not harm Yangtze River area — 12(11):6
Removal expected to help restore rivers — 12(1):22
Snake River dams violate CWA — 12(8):26
Daniel, John
CWA addresses nonpoint source pollution — 12(8):77
Deininger, Rolf A.
Disinfection using zebra mussels — 12(9):122
Delneky, Gabe
WATER CONSERV II (Orange County, Fla.) — 12(1):26
deMonsabert, Sharon
Contract operations' effect on employee morale — 12(2):66
Dentel, Steven K.
Electric arc solids pretreatment — 12(7):64
DeOrio, Francis J.
Multiple technology approach to abate CSOs and SSOs — 12(6):63
Dioxin
Proposed limits for land-applied biosolids — 12(2):13, 52
Disinfection
Quiz — 12(4):75
Using zebra mussels — 12(9):122
UV lamp degradation — 12(4):69
UV system verification — 12(10):22
Di Toro, Dominic M.
Phosphorus modeling — 12(6):36
Dodge, Donald M.
Ultraviolet light-enhanced oxidation — 12(3):22
Doyle, Matthew J.
Proposed SSO rule requirements — 12(9):49
Drinking water
Efforts to remove MTBE intensify — 12(6):20
Foam storage tanks for — 12(1):15
MTBE controversy heats up — 12(3):8
One of greatest 20th century engineering achievements — 12(5):14
Standards under revision — 12(6):24
U.S. EPA to cut or eliminate MTBE use — 12(5):8
Water crisis predicted — 12(3):18
Water for People — 12(3):10

E
Eastman, Bruce R.
Vermicomposting — 12(5):43
Ecology
Ecological risk assessments — 12(3):30
Freshwater species face mass extinction — 12(2):20
Electricity
Cutting costs — 12(9):119
Energy-saving strategies for activated sludge — 12(9):113
Energy utility deregulation advantages — 12(8):42
Endocrine disrupters
More research needed on — 12(1):18
Enforcement
California cities settle pretreatment charges — 12(3):46
EU charges four countries with wastewater violations — 12(9):12, 105
Georgia utility company fined $1 million — 12(2):52
Ship channel company discharges wastewater illegally — 12(3):46
Virgin Islands Public Works must fix pump station — 12(5):67
Environmental management systems
Effectiveness of — 12(7):26; 12(9):45
San Diego receives ISO 14001 certification — 12(3):36
Equipment design
Aeration system — 12(11):57
Pipe-crawling robot — 12(2):46
Recirculating gravel filter — 12(7):41
Ultraviolet lamp degradation — 12(4):69

Esquer, Mark
Benefits of periodic vendor reviews — 12(8):53
Estuary
Mid-Atlantic ___ water quality data — 12(8):16
Everglades
Florida officials support bill to protect headwaters — 12(2):13
Senate environment committee hearings on — 12(4):12

F
Farrell, Joseph B.
Anaerobic digestion system performance comparisons — 12(11):26
Fernandez, David
Advantages of contract operations in Key West, Fla. — 12(1):32'
Ferraro, Christianne
Florida water reuse code of good practice — 12(9):8
Field, Richard
Real-time control schemes for CSOs — 12(4):64
Filtration
Membrane market growth predicted — 12(11):20
Traveling bridge filter — 12(6):48
Firmin, Alvin C.
BOD basics — 12(12):78
Fitzpatrick, James J.
Determining nutrient criteria for coastal and estuarine systems — 12(2):34
Foess, Gerald W.
Nutrient removal technologies for small flows — 12(8):89
Ford, Larry
Modifications improve activated sludge performance — 12(9):128
Funding
Canada funds municipal clean air, water efforts — 12(9):38
Clinton proposal would maintain U.S. EPA budget — 12(4):11
Dispute over U.S. EPA budget request — 12(8):14
Federal infrastructure ___ needed — 12(5):22
Needed to overhaul Michigan infrastructure — 12(12):58
More U.S. EPA funding in FY 2001 — 12(12):16
States need to cut polluted runoff — 12(12):15
U.S. EPA increases Border Environment Infrastructure Fund — 12(11):6

G
Gabb, Donald M.
Soda treatment for reclaimed water — 12(1):54
Gaietto, Gary
Controlling filamentous bacteria — 12(7):69
Garcia, Sanna
Soda treatment for reclaimed water — 12(1):54
Garland, Edward J.
Phosphorus modeling — 12(6):36
Garrett, George S.
Nutrient removal technologies for small flows — 12(8):89
Gay, Daniel
Benefits of periodic vendor reviews — 12(8):53
Geisser, Donald F.
Multiple technology approach to abate CSOs and SSOs — 12(6):63
Gilmore, Rick
Vacuum collection system — 12(10):64
Girma, Elsabeth
Outreach programs guarantee pump station upgrade success — 12(7):35
Glazebrook, Sarah
Disc pumps — 12(5):72
Gorthey, Mark L.
Multiple technology approach to abate CSOs and SSOs — 12(6):63
Graupmann, Rod
Automation improves utility competitiveness — 12(8):47
Gray, Randall
Snail control in nitrification towers — 12(5):80
Great Lakes
Atmospheric pollution threat — 12(12):10
Ban to be reinstated on bioaccumulative chemical mixing zones in — 12(1):24
Could drop to record low levels — 12(7):14
Michigan joins watershed protection program — 12(9):11
Plans promote holistic approach — 12(8):32
Trinational commission responds to toxics claim — 12(2):13
U.S., Canadian management plans released — 12(6):11
Water withdrawal criteria — 12(8):13
Greer, Glenn
Lee County, Fla.'s three-phase odor control program — 12(7):54
Groundwater
Density-driven convection wells — 12(8):75
USGS map of arsenic in — 12(7):8
Gulf of Mexico
Estuary health in — 12(1):12
Stream size determines nitrogen amount delivered to — 12(4):6

H
Haimowitz, Jerry
Level controller modification — 12(8):100
Hake, John M.
Soda treatment for reclaimed water — 12(1):54
Hamilton, Pixie
U.S. Geological Survey's national water quality assessment program — 12(2):26
Hanson, Charles
Cell lysis technology — 12(8):66
Harris, Richard W.
Soda treatment for reclaimed water — 12(1):54
Harrison, Steve
Operations Challenge wrapup — 12(12):63
Heaton, Michael I.
Soda treatment for reclaimed water — 12(1):54
Hill, Maria Rawls
Public involvement in infrastructure programs — 12(9):79
Hix, Felicia
Controlling collection system grease — 12(10):69
Hoffmeister, Kimberly A.
Energy utility deregulation advantages — 12(8):42
Hsiung, Paul H.
Balancing collection system maintenance and performance — 12(1):38
Husband, Joe
BNR basics — 12(8):85
Energy-saving strategies for activated sludge — 12(9):113
Huza, Greg
Recycling settled solids through RBCs — 12(12):73

I
Industrial pretreatment
Chicago's Project XL agreement — 12(11):49
Municipal Project XL agreements — 12(12):21
Infiltration and inflow
Investigating ___ from large buildings — 12(6):42
Maintenance of — 12(5):90; 12(6):77
Submerged fixed-film process treats — 12(1):68
Instrumentation
Automation improves utility competitiveness — 12(8):47
Flowmeter with remote telemetry — 12(5):62
Real-time control schemes for CSOs — 12(4):64
Irrinki, Sam
Digital utility — 12(12):29
Isett, Barry
Infiltration and inflow maintenance — 12(5):90; 12(6):77; 12(8):102
Maintenance column introduction — 12(1):66
Managing collection system odors — 12(2):71
Manhole inspections and rehabilitation — 12(9):131
O&M staff participation in plant upgrades — 12(11):68
Y2K prevention: better safe than sorry — 12(4):76
Keeping maintenance records — 12(12):80

J
Jellis, W. Daniel
Cell lysis technology — 12(8):66
Jenkins, David
Snail control in nitrification towers — 12(5):80
Jeyanayagam, Sam
BNR basics — 12(8):85
Energy-saving strategies for activated sludge — 12(9):113
Johnson, Carl R.
Rouge River demonstration project — 12(6):31
Jolicoeur, Nathalie
Real-time control schemes for CSOs — 12(4):64

K
Kaunelis, Vyto P.
Rouge River demonstration project — 12(6):31

2000 Editorial Index

Keefer, Kim S.
Reed bed limitations — 12(2):61
Kendall, Jerry
Controlling filamentous bacteria — 12(7):69
Kerchusky, Robert
Eradicating filter flies — 12(8):94
Klangsin, Pornwipa
Disinfection using zebra mussels — 12(9):122
Koe, Lawrence
Odor control for an underground treatment plant — 12(7):59
Kolbe, James
Recycling settled solids through RBCs — 12(12):73
Kreissl, James F.
U.S. EPA manual on treatment wetlands — 12(10):36
Kugel, Rebecca
Medical lab technique aids BNR analysis — 12(3):60
Kundidzora, Erica
Ultraviolet light-enhanced oxidation — 12(3):22

L
Laboratory
Analysis (quiz) — 12(3):64
Comprehensive biosolids QA/QC program — 12(3):50
Finding the right information management system — 12(1):74
Flocculation jar testing — 12(12):69
Interpreting analytical data — 12(11):40
Medical lab technique aids BNR analysis — 12(3):60
Procedures (quiz) — 12(9):126
Proposal to consolidate good practice standards — 12(2):14
Lachmayr, Jennifer K.
Investigating inflow from large buildings — 12(6):42
Lane, Steven M.
Aeration system design — 12(11):57
Larson, Catherine E.
Phosphorus modeling — 12(6):36
Lavallée, Pierre
Real-time control schemes for CSOs — 12(4):64
Legal
Citizens' right to sue polluters upheld — 12(5):24
CWA addresses nonpoint source pollution — 12(8):77
Stringent bypass rules upheld — 12(7):18
Legislation
No new major water ___ expected — 12(10):11
Congress evaluates proposed TMDL changes — 12(5):19
Pennsylvania passes "growing "greener" bill — 12(3):46
Senate bill would increase TMDL funding, delay rule implementation — 12(7):17
Senate environment committee hearings on Everglades — 12(4):12
Urban Wet Weather Priorities Act — 12(4):11
U.S. EPA signs TMDL rule despite congressional protests — 12(8):40
Lehman, Roger
Designing and constructing treatment wetlands — 12(3):54
Levin, Diane E.
Private-sector optimization techniques — 12(9):59
Liner, Barry
Advantages of contract operations in Key West, Fla. — 12(1):32
Contract operations' effect on employee morale — 12(2):66
Lothrop, Tom
WATER CONSERV II (Orange County, Fla.) — 12(1):26

M
Mahin, Tom
Worldwide odor-control regulations — 12(5):49
Maintenance
Balancing collection system performance and — 12(1):38
Centrifugal pump — 12(5):76
Column introduction — 12(1):66
Controlling collection system grease — 12(10):69
Infiltration and inflow — 12(5):90; 12(6):77; 12(8):102
Manhole inspections and rehabilitation — 12(9):131
Quiz — 12(12):77
Recordkeeping — 12(12):80
Management
Advantages of contract operations in Key West, Fla. — 12(1):32
Automation improves utility competitiveness — 12(8):47
Benefits of periodic vendor reviews — 12(8):53
Best-value contract selection methods — 12(7):29
Contract operations' effect on employee morale — 12(2):66
Cutting electricity costs — 12(9):119
Digital utility — 12(12):29
Employee relations (quiz) — 12(1):65
Energy utility deregulation advantages — 12(8):42
Flexible scheduling for employees — 12(1):62
How public employees can win long-term contracts — 12(2):56
Interpreting analytical data — 12(11):40
Owner's role in design-build approach — 12(9):66
Partnering procurement approach — 12(9):53
Private-sector optimization techniques — 12(9):59
San Diego receives ISO 14001 certification — 12(3):36
Mandilag, Arnel M.
Modeling system supports wet-weather collection system decisions — 12(12):35
Maurer, Roger
Large submersible pumps manage CSOs — 12(12):47
Mauro, Joseph T.
Proposed SSO rule requirements — 12(9):49
McCormick, Ed
Outreach programs guarantee pump station upgrade success — 12(7):35
McElhatten, Dan
Controlling filamentous bacteria — 12(7):69
McGinley, Charles
Worldwide odor-control regulations — 12(5):49
Meier, Peter G.
Disinfection using zebra mussels — 12(9):122
Modeling
Phosphorus — 12(6):36
Pipeline ___ software — 12(9):91
System supports wet-weather collection system decisions — 12(12):35
To predict pesticide effects — 12(8):18
Moeller, Jeff C.
Future wastewater treatment approaches — 12(8):8
Molenaar, Keith
Best-value contract selection methods — 12(7):29
Monitoring
Current sampling methods miss stormwater contribution — 12(8):30
New method may benefit salmon — 12(5):32
Online watershed ___ course — 12(8):13
Mullins, Emmett
Controlling filamentous bacteria — 12(7):69
Myers, Mark B.
Determining nutrient criteria for coastal and estuarine systems — 12(2):34
Myers, Ray
Controlling filamentous bacteria — 12(7):69

N
Natural treatment
Living Machine — 12(3):74
Nelson, Richard E.
Balancing collection system maintenance and performance — 12(1):38
Nitrification
Snail control in ___ towers — 12(5):80
Noel, Douglas
Phase II stormwater rule cost estimates — 12(4):33
Phase II stormwater rule requirements — 12(4):27
Noesen, Matthew
Ultraviolet lamp degradation — 12(4):69
Nonpoint source pollution
Determining nutrient criteria for coastal and estuarine systems — 12(2):34
Ecological risk assessments — 12(3):30
North Carolina buys out hog farms — 12(10):8
Plagues U.S. waterways — 12(9):17
States need funding to cut polluted runoff — 12(12):15
U.S. Geological Survey's national water quality assessment program — 12(2):26

Nutrients
BNR basics — 12(8):85
Causes, control of in coastal waters — 12(6):12
Criteria being developed for U.S. waters — 12(1):18
Determining criteria for coastal and estuarine systems — 12(2):34
Finland's weak nitrate-reduction rules — 12(11):8
Phosphorus modeling — 12(6):36
Removal technologies for small flows — 12(8):89

O
Odor control
Bar screen covers — 12(6):49
Floating biological contactor — 12(1):73
For an underground treatment plant — 12(7):59
Lee County, Fla.'s three-phase program — 12(7):54
Managing collection system odors — 12(2):71
Quiz — 12(7):73
UV light-enhanced oxidation — 12(3):22
Worldwide regulations — 12(5):49
Optimization
Energy-saving strategies for activated sludge — 12(9):113
Private-sector techniques — 12(9):59
Osborn, Kenneth E.
Interpreting analytical data — 12(11):40

P
Pacello, John
Disc pumps — 12(5):72
Packman, Jon
Cell lysis technology — 12(8):66
Park, Dawnelle
Contract operations' effect on employee morale — 12(2):66
Parker, Denny S.
Future wastewater treatment approaches — 12(8):8
Parman, Rich
Controlling filamentous bacteria — 12(7):69
Pathogens
Standards for reclaimed water — 12(1):59
Payton, Sanford
Nashville, Tenn.'s stormwater management program — 12(4):46
Permit
Illinois gun club receives NPDES ___ — 12(12):58
Michigan's voluntary general stormwater — 12(6):59
NPDES ___ backlog scrutinized — 12(6):19
NPDES program managed poorly, environmental groups say — 12(5):10
Rule clarifies, streamlines NPDES provisions — 12(7):8; 12(8):81
Washington State plants achieve 100% compliance — 12(9):105
WEF supports ___ shield policy — 12(10):8
Persistent, bioaccumulative, and toxic (PBT) chemicals
Ban to be reinstated on mixing zones in Great Lakes — 12(1):24
United Nations expands research into — 12(11):17
U.S. EPA lowers reporting thresholds for — 12(2):23
U.S. EPA progress report on — 12(11):24
Pincince, Albert B.
BOD basics — 12(12):78
Pla, Michele M.
Potential benefits of regional water reuse programs — 12(1):45
Plant profile
El Paso, Texas — 12(7):74
Lincoln, Ill. — 12(1):70
Orlando, Fla. — 12(11):70
Palm Coast, Fla. — 12(6):79
Perryman, Md. — 12(9):132
Philadelphia, Pa. — 12(5):91
Plymouth, Ind. — 12(8):104
Scottsbluff, Neb. — 12(12):82
Tigard, Ore. — 12(4):79
Visalia, Calif. — 12(2):74
Waukesha, Wis. — 12(3):70
Plant upgrades
Funds help U.S.-Mexican border towns with — 12(9):12
Grant helps Arizona town with — 12(5):67
Loan helps Charleston, N.H., with — 12(12):58
Matching funds help Alaska with — 12(8):81
O&M staff participation in — 12(11):68
Outreach programs guarantee pump station upgrade success — 12(7):35
Would help Poland join EU — 12(7):50
Pleau, Martin
Real-time control schemes for CSOs — 12(4):64
Policy and government
Environmental sustainability index — 12(5):28
U.S. Census Bureau to survey pollution control costs — 12(2):14
Sen. Robert C. Smith to head environment committee — 12(2):19
Polychlorinated biphenyls (PCBs)
U.S. EPA revises water quality criteria for — 12(1):12
Pope, Richard
Worldwide odor-control regulations — 12(5):49
Prentiss, Douglas B.
RMP does not need to mean the end of chlorine — 12(6):8
Presidential election
Role of environment in — 12(9):27
Process control
Flocculation jar testing — 12(12):69
Software streamlines flowmeter data retrieval — 12(2):77
Procurement
Owner's role in design-build approach — 12(9):66
Partnering approach — 12(9):53
Public education
'Don't dump diazinon' campaign — 12(5):67
Future city competition — 12(5):14
'Ginny Groundwater' promotes conservation — 12(2):16
National Public Lands Day — 12(8):21
Outreach programs guarantee pump station upgrade success — 12(7):35
Postcards, calendars promote Seattle creek restoration — 12(2):16
Public involvement in infrastructure programs — 12(9):79
Quiz — 12(6):75
Rouge River demonstration project — 12(6):31
Vandalism prevention program — 12(6):67
Web site brings water data to classroom — 12(6):28
Public–private partnerships
Advantages in Key West, Fla. — 12(1):32
Benefits of periodic vendor reviews — 12(8):53
Groups takes over 172 Louisiana plants — 12(12):8, 58
Effect on employee morale — 12(2):66
How public employees can win long-term contracts — 12(2):56
United Water's approach — 12(8):59
U.S. EPA guidelines on the Internet — 12(1):49
Pumps
Large submersible ___ manage CSOs — 12(12):47
Maintaining centrifugal — 12(5):76
Compact progressive cavity — 12(5):60; 12(9):91
Disc — 12(5):72
Outreach programs guarantee ___ station upgrade success — 12(7):35
Quiz — 12(5):89

Q
Quality assurance/quality control (QA/QC)
Comprehensive biosolids program — 12(3):50

R
Reese, Andrew
Phase II stormwater rule cost estimates — 12(4):33
Phase II stormwater rule requirements — 12(4):27
Regan, Margie
Odor control for an underground treatment plant — 12(7):59
Regulations
Ban to be reinstated on mixing zones for PBT chemicals in Great Lakes — 12(1):24
Chesapeake Bay cleanup proposal — 12(4):20
Concerns over CSO guidance outline — 12(3):16
Congress evaluates proposed TMDL changes — 12(5):19
Decade of innovative progress — 12(6):11; 12(7):8
Draft dioxin release guidance — 12(8):13
Drinking water standards under revision — 12(6):24
Effluent discharge guidelines — 12(8):13

2000 Editorial Index

Efforts to remove MTBE intensify — 12(6):20
Energy utility deregulation advantages — 12(8):42
EU calls for environmental damage liability rules — 12(4):6
Great Lakes plans promote holistic approach — 12(8):32
Lower reporting thresholds for PBT chemicals — 12(2):23
Michigan's voluntary general stormwater permit — 12(6):59
Nutrient criteria under development — 12(1):18
Phase II stormwater rule cost estimates — 12(4):33
Phase II stormwater rule released — 12(1):17
Phase II stormwater rule requirements — 12(4):27
Proposed ergonomics rule — 12(2):52; 12(6):55; 12(7):51
Proposed SSO rule requirements — 12(9):49
Response to proposed TMDL revisions — 12(3):13
Selenium criteria updated — 12(8):18
U.S. EPA needs better science — 12(11):14
U.S. EPA signs TMDL rule despite congressional protests — 12(8):40
Worldwide odor-control — 12(5):49

Reichenberger, Joseph C.
Ultraviolet light-enhanced oxidation — 12(3):22

Reid, Terry
Sequencing batch reactor — 12(5):84

Remediation
Dam removal expected to help rivers — 12(1):22
India's Yamuna River awaits major cleanup — 12(2):24
Three-year river cleanup plan for Shanghai, China — 12(11):8
U.S. DOE to remove radioactive waste from Colorado River banks — 12(4):8

Renner, Don
Cutting electricity costs — 12(9):119
Maintaining centrifugal pumps — 12(5):76

Research
Current sampling methods miss stormwater contribution — 12(8):30
Future wastewater treatment approaches — 12(8):8
Needed on water reuse safety — 12(1):8
Producing hydrogen from wastewater — 12(4):6
United Nations expands ___ into PBT chemicals — 12(11):17
U.S. EPA needs better science — 12(11):14
Using insect genes to 'kill' pesticides — 12(12):10

Richardson, Charley
Stress-related illnesses — 12(1):52

Riehemann, Christina
Contract operations' effect on employee morale — 12(2):66

Risk assessment
Dioxin-related risks in land-applied biosolids — 12(5):35
Methods for establishing water reuse pathogen standards — 12(1):59

Risk management program (RMP)
Chemical release information banned from Internet — 12(8):25
Does not need to mean the end of chlorine — 12(6):8
Revised guidance for treatment plants — 12(8):14, 81
Rule provides public access to information — 12(10):8, 47

Ritland, Greg
Snail control in nitrification towers — 12(5):80

Rivers
Most endangered — 12(7):13

Rodgers, John H. Jr.
Designing and constructing treatment wetlands — 12(3):54

Rodieck, Allison
BNR basics — 12(8):85

Rotating biological contactors (RBCs)
Recycling settled solids through — 12(12):73

S

Safety
Avoiding manhole explosions — 12(10):48
Bloodborne pathogens — 12(2):53
Chlorine handling — 12(5):68
Confined space entry — 12(3):47
Congress says no to ergonomics program — 12(8):81
"Crossroads" Web site — 12(4):60
Hearing conservation — 12(9):106
Proposed ergonomics rule — 12(2):52; 12(6):55; 12(7):51; 12(8):82
National Safety Council Web site — 12(4):60
Safety-related water reuse research needed — 12(1):8
Stress-related illnesses — 12(1):52
Workplace violence — 12(11):50; 12(12):59

Saltes, Jack
Recycling settled solids through RBCs — 12(12):73

Sandino, Julian
Advanced anaerobic digestion system issues — 12(11):35

Sanitary sewer overflows (SSOs)
Michigan adopts tough policy — 12(7):50
Multiple technology approach to abate — 12(6):63
Proposed SSO rule requirements — 12(9):49
Pipe installation fixes — 12(1):73
U.S. EPA subcommittee supports draft proposal — 12(1):17

Schafer, Perry L.
Anaerobic digestion system performance comparisons — 12(11):26

Scheible, O. Karl
UV system verification — 12(10):22

Schneider, David
Check valves cut aeration-related energy costs — 12(2):72

Schofield, Amy
Investigating inflow from large buildings — 12(6):42

Sheets, Jerry
Controlling filamentous bacteria — 12(7):69

Shimp, Gary F.
Advanced anaerobic digestion system issues — 12(11):35

Singleton, Edward
Cell lysis technology — 12(8):66

Small flows
Account for 19997 pollutant increases — 12(8):16
Disinfection using zebra mussels — 12(9):122
Nutrient removal technologies for — 12(8):89
Recirculating gravel filter — 12(7):41
Septic leaching chamber — 12(7):45

Smith, Douglas G.
Partnering procurement approach — 12(9):53

Smith, Richard
Nutrient removal technologies for small flows — 12(8):89

Smith, Steven M.
Vandalism prevention program — 12(6):67

Spellman, Frank R.
Avoiding manhole explosions — 12(10):48
Bloodborne pathogens — 12(2):53
Certification practice exam — 12(11):61
Confined space entry — 12(3):47
Hearing conservation — 12(9):106
Proposed ergonomics rule — 12(6):55; 12(7):51; 12(8):82
Workplace violence — 12(11):50; 12(12):59

Spills, cleanup, and recovery
Impacts of Romanian cyanide spill — 12(4):6

Software
Digital utility — 12(12):29
Modeling system supports wet-weather collection system decisions — 12(12):35
Pipeline modeling — 12(9):91
Streamlines flowmeter data retrieval — 12(2):77

Solids treatment
Advanced anaerobic digestion system issues — 12(11):35
Anaerobic digestion system performance comparisons — 12(11):26
Cell lysis — 12(8):66
Digestion (quiz) — 12(8):98
Electric arc pretreatment — 12(7):64
Mesophilic digestion — 12(5):60
Panel to study radiation in solids and ash — 12(2):52
Reed bed limitations — 12(2):61
Vermicomposting — 12(5):43

Stahlberger, Brad
Ultraviolet lamp degradation — 12(4):69

Steinbrecher, Paul
Nutrient removal technologies for small flows — 12(8):89

Stephens, Butler
Controlling filamentous bacteria — 12(7):69

Stillwill, Richard
Automation improves utility competitiveness — 12(8):47

Stinson, Mary K.
Real-time control schemes for CSOs — 12(4):64
Stormwater management
Australian initiative — 12(8):16
Concerns over CSO guidance outline — 12(3):16
Continuous deflection separation — 12(4):54
Court upholds stringent bypass rules — 12(7):18
Current sampling methods miss stormwater contribution — 12(8):30
Drainage control impellers — 12(2):78
Enhanced high-rate clarification — 12(4):41
High-rate clarification — 12(3):73
Michigan's voluntary general permit — 12(6):59
Modeling system supports ___ decisions — 12(12):35
Nashville, Tenn.'s program — 12(4):46
Phase II rule cost estimates — 12(4):33
Phase II rule released — 12(1):17, 49
Phase II rule requirements — 12(4):27
Real-time control schemes for CSOs — 12(4):64
Urban Wet Weather Priorities Act — 12(4):11
U.S. EPA regions propose new discharge permit — 12(5):67
Wisconsin rethinks runoff proposal — 12(9):11
Stowe, Joe Jr.
WEF president's message — 12(9):6
Stukenberg, John R.
Advanced anaerobic digestion system issues — 12(11):35
Surface water
Mars may have had — 12(6):16
Sullivan, James K.
CWA addresses nonpoint source pollution — 12(8):77
More U.S. EPA funding in FY 2001 — 12(12):16
No new major water legislation expected — 12(10):11
U.S. EPA signs rule despite congressional protests — 12(8):40
Sweeney, Neal J.
Owner's role in design-build approach — 12(9):66
Szydlik, James J.
Phosphorus modeling — 12(6):36

T
Technology
Aquaculture — 12(4):8
Cell lysis — 12(8):66
Continuous deflection separation — 12(4):54
Cryogenic air separation — 12(11):52
Electric arc solids pretreatment — 12(7):64
Enhanced high-rate clarification — 12(4):41
Recirculating gravel filter — 12(7):41
Sequencing batch reactor — 12(5):84
SHARON — 12(9):92
Ultraviolet light-enhanced oxidation — 12(3):22
Tertiary treatment
Soda treatment for reclaimed water — 12(1):54
Thomas, Larry
Cryogenic air separation — 12(11):52
Thomas, Sharon
U.S. EPA signs rule despite congressional protests — 12(8):40
Total maximum daily loads (TMDLs)
California wastewater issues — 12(9):135
Congress evaluates proposed changes — 12(5):19
Considering ecological attributes — 12(2):47
Fact sheet summarizes existing program — 12(12):8
Proposed revisions have tough demands — 12(5):10
Reassessing ___ for the Tualatin River — 12(2):40
Response to proposed revisions — 12(3):13
Senate bill would increase funding, delay rule implementation — 12(7):17
Technical guidance for nutrient-related — 12(3):8
Technical guidance for sediment-related — 12(1):12; 12(2):52
U.S. EPA letter clarifies proposed revisions (12(6):12, 53
U.S. EPA, USDA outline agreements on revisions — 12(7):8
U.S. EPA signs rule despite congressional protests — 12(8):40; 12(9):105
WEF briefing on — 12(6):19
Toth, Christopher J.
San Diego receives ISO 14001 certification — 12(3):36
Toxics
Coffee filters out — 12(9):20
Discovered in Canadian Rockies — 12(1):15
Voluntary program yields ___ information — 12(4):60
Training
BOD basics — 12(12):78
Greene County, Ohio, operator ___ program — 12(4):62
O&M specialty conference features hands-on program — 12(10):60
Treadway, Elizabeth
Phase II stormwater rule cost estimates — 12(4):33
Phase II stormwater rule requirements — 12(4):27
Trickling filter
Eradicating filter flies — 12(8):94
Troubleshooting
Controlling filamentous bacteria — 12(7):69
Eliminating polymer clogging — 12(6):71
Eradicating filter flies — 12(8):94
Gas compressor failures — 12(4):77
Level controller modification — 12(8):100
New curriculum available — 12(1):51
Snail control in nitrification towers — 12(5):80

U
Ultraviolet (UV)
Disinfection system verification — 12(10):22
Lamp degradation — 12(4):69
Light-enhanced oxidation — 12(3):22
Urbanik, James
Cell lysis technology — 12(8):66
Urban runoff
Effect of pet wastes — 12(2):46
U.S. Environmental Protection Agency (EPA)
Clinton proposal would maintain ___ budget — 12(4):11
Efforts to remove MTBE intensify — 12(6):20
Manual on treatment wetlands — 12(10):36
Moves headquarters — 12(10):47
Needs better science — 12(11):14
Refurbished Web site — 12(6):11
To survey aquatic animal production facilities — 12(11):6
U.S. Forest Service
Watershed restoration projects — 12(4):24
U.S. Geological Survey
National water quality assessment program — 12(2):26
U.S. Occupational Safety and Health Administration
Proposed ergonomics rule — 12(2):52; 12(6):55; 12(7):51

V
van Loosdrecht, Mark C.M.
Future wastewater treatment approaches — 12(8):8
Velez, Sergio Ivan
Lee County, Fla.'s three-phase odor control program — 12(7):54
Villeneuve, Elise
Real-time control schemes for CSOs — 12(4):64
Vondra, Lester
Recycling settled solids through RBCs — 12(12):73

W
Wadehra, Pawan
Cell lysis technology — 12(8):66
Wahlberg, Eric J.
Private-sector optimization techniques — 12(9):59
Walker-Coleman, Lauren
Pathogen standards for reclaimed water — 12(1):59
Walter, Mark
O&M specialty conference features hands-on training program — 12(10):60
Ward, Brett
Modifications improve activated sludge performance — 12(9):128
Ward, Daniel
Medical lab technique aids BNR analysis — 12(3):60
Watanabe, Myrna
Future wastewater treatment approaches — 12(8):8
Water Environment Federation (WEF)
Briefing on TMDLs — 12(6):19
O&M specialty conference features hands-on training program — 12(10):60
President's message — 12(9):6
Water quality
Continued growth projected for ___ industry — 12(7):22

2000 Editorial Index

Decline predicted for most U.S. estuaries — 12(8):14
National inventory inaccurate, unreliable — 12(5):8
Plans address California water needs — 12(9):32
Reassessing TMDLs for the Tualatin River — 12(2):40
Response to proposed TMDL revisions — 12(3):13
State standards need U.S. EPA approval — 12(6):11; 12(7):10
Stream assessment protocols — 12(1):12
Survey on value of improvements — 12(1):12
Third 'great waters' report — 12(8):14
UK river ___ improves — 12(11):6
Updated ammonia criteria — 12(2):13; 12(4):60
U.S. EPA to gauge economic value of improvements — 12(5):10
USGS' national assessment program — 12(2):26
Water crisis predicted — 12(3):18

Water quantity
Increased water shortages predicted — 12(11):17
Plans address California water needs — 12(9):32
Water crisis predicted — 12(3):18

Water reuse
California wastewater issues — 12(9):135
Florida code of good practice — 12(9):8
Key component of space station — 12(5):13
Membrane market growth predicted — 12(11):20
Pathogen standards for — 12(1):59
Potential benefits of regional programs — 12(1):45
Safety-related research needed — 12(1):8
Soda treatment for — 12(1):54
Using reclaimed water to create mitigation wetlands — 12(9):70
WATER CONSERV II (Orange County, Fla.) — 12(1):26

Watershed management
Atlantic salmon extinction risk — 12(11):13
Biodegradable erosion control — 12(1):74
Canada, U.S. spar over boundary waters — 12(5):27
Center for sustainable fisheries — 12(5):14
Chesapeake Bay cleanup proposal — 12(4):20
Ecological risk assessments — 12(3):30
Fish vaccine — 12(2):17
Frog, toad populations tracked — 12(6):17
Galveston Bay marsh restoration — 12(1):14
Girl Scout patch for — 12(9):20
Golf course management — 12(1):14
Great Lakes plans promote holistic approach — 12(8):32
India's Yamuna River awaits major cleanup — 12(2):24
Insecticides damaging once-pristine ecosystems — 12(11):13
Invasive species problem — 12(12):18
New monitoring method may benefit salmon — 12(5):32
Red tide returns to South China Sea — 12(11):8
Reports on India's approach — 12(9):11
Rouge River demonstration project — 12(6):31
Sea otter recovery indications — 12(8):21
Snake River dams violate CWA — 12(8):26
Unified framework for federal lands — 12(4):6; 12(12):10
U.S. EPA reports on successful projects — 12(12):8
USFS restoration projects — 12(4):24
USGS' national water quality assessment program — 12(2):26
Water crisis predicted — 12(3):18
Yosemite River plan nears completion — 12(5):13

Watts, Robert
Dissolved oxygen automation — 12(11):67

WEFTEC 2000
California wastewater issues — 12(9):135
Emerging technologies — 12(8):37
Exhibitor new products — 12(9):218
Operations Challenge preview — 12(9):134
Operations Challenge wrapup — 12(12):63
Regional Operations Challenge winners — 12(11):49

Wells
Corrected deadline to phase out underground injection — 12(3):46
Density-driven convection — 12(8):75
U.S. EPA report on Class 5 — 12(1):49

Weigand, Michael R.
Flocculation jar testing — 12(12):69

Weigand, Richard G.
Flocculation jar testing — 12(12):69

Werblow, Steve
Reassessing TMDLs for the Tualatin River — 12(2):40

West, Randel
Enhanced high-rate clarification — 12(4):41

West, Rebecca
Comprehensive biosolids QA/QC program — 12(3):50

Wetlands
California to restore San Francisco Bay ___ — 12(11):8
China to establish major reserve — 12(7):10
Clinton budget proposal doubles conservation support — 12(3):8
Designing and constructing treatment — 12(3):54
Effectiveness of constructed — 12(5):54
First agricultural mitigation bank — 12(3):8
Landowners contribute to restoration — 12(8):22
New England restoration partnership — 12(3):8
Permanent conversion program — 12(9):19
Study to update info on mitigation banks — 12(9):14
U.S. EPA, Army Corps define 'fill material' — 12(6):11
U.S. EPA manual on treatment ___ — 12(10):36
Using reclaimed water to create mitigation ___ — 12(9):70

Whitherspoon, Jay
Odor control for an underground treatment plant — 12(7):59

Whiting, Nancy
Avoiding manhole explosions — 12(10):48
Bloodborne pathogens — 12(2):53
Certification practice exam — 12(11):61
Confined space entry — 12(3):47
Hearing conservation — 12(9):106
Proposed ergonomics rule — 12(6):55; 12(7):51; 12(8):82
Workplace violence — 12(11):50; 12(12):59

Willey, Bruce R.
Using reclaimed water to create mitigation wetlands — 12(9):70

Williams, John F.
How public employees can win long-term contracts — 12(2):56

Wong, Elizabeth
Lee County, Fla.'s three-phase odor control program — 12(7):54

Y

Year 2000 (Y2K) computer problem
Better safe than sorry — 12(4):76

Yoder, Steve
Using reclaimed water to create mitigation wetlands — 12(9):70

Yoloye, Olujimi
Outreach programs guarantee pump station upgrade success — 12(7):35

York, David W.
Florida water reuse code of good practice — 12(9):8
Pathogen standards for reclaimed water — 12(1):59

Young, Gary
Dissolved oxygen automation — 12(11):67

Z

Zieburtz, Bill
Advantages of contract operations in Key West, Fla. — 12(1):32